



Government Gazette Staatskoerant

REPUBLIC OF SOUTH AFRICA
REPUBLIEK VAN SUID AFRIKA

Vol. 707

24

May
Mei

2024

No. 50710

N.B. The Government Printing Works will not be held responsible for the quality of "Hard Copies" or "Electronic Files" submitted for publication purposes

ISSN 1682-5845



AIDS HELPLINE: 0800-0123-22 Prevention is the cure

IMPORTANT NOTICE:

THE GOVERNMENT PRINTING WORKS WILL NOT BE HELD RESPONSIBLE FOR ANY ERRORS THAT MIGHT OCCUR DUE TO THE SUBMISSION OF INCOMPLETE / INCORRECT / ILLEGIBLE COPY.

No FUTURE QUERIES WILL BE HANDLED IN CONNECTION WITH THE ABOVE.

Contents

<i>No.</i>		<i>Gazette No.</i>	<i>Page No.</i>
GENERAL NOTICES • ALGEMENE KENNISGEWINGS			
South African Reserve Bank / Suid-Afrikaanse Reserwebank			
2520	South African Reserve Bank Act (90/1989): The dimension of, design for, and compilation of the Big 5 Series III to be issued from the year 2024 to 2026 in South Africa	50710	3
2521	South African Reserve Bank Act (90/1989): The dimension of, design for, and compilation of the fine-gold 1//10 oz and fine-silver 1 oz crown versions of the fourth decimal coin series of South Africa to be issued from 2024 to 2029.....	50710	6
2522	South African Reserve Bank Act (90/1989): The dimension of, design for, and compilation of the 2 oz Piedfort Krugerrand to be issued in 2024.....	50710	9
2523	South African Reserve Bank Act (90/1989): Substitution of Schedule 2 to the Act	50710	11

GENERAL NOTICES • ALGEMENE KENNISGEWINGS

SOUTH AFRICAN RESERVE BANK

NOTICE 2520 OF 2024

SOUTH AFRICAN RESERVE BANK ACT, 1989

**The dimension of, design for, and compilation
of the Big 5 Series III to be issued from the year 2024 to 2026 in South Africa**

I, Enoch Godongwana, the Minister of Finance, in terms of section 19(1)(a) of the South African Reserve Bank Act, 1989 (Act No. 90 of 1989), hereby declare that-

- (a) the five coins per denomination of the Big 5 Series III as set out in section (a) of Schedule 2 to the said Act, which will be manufactured and issued by virtue of section 16(1) of the said Act, will be legal tender as from the date of publication in the *Government Gazette*;
- (b) the design of the said coin series will be the designs as shown and which are attached to this notice; and
- (c) the specifications of the said coin are as follows:

Denomination ¹	Metal content	Diameter ²	Mass ³
R50 (1 kg)	Au 999.9	90.00 mm	1000.000 g
R50 (5 oz)	Au 999.9	50.00 mm	155.535 g
R50 (1 oz)	Au 999.9	32.69 mm	31.107 g
R50 (1/4 oz)	Au 999.9	22.00 mm	7.777 g
R5 (1 kg)	Ag 999	100.00 mm	1000.000 g
R5 (5 oz)	Ag 999	64.00 mm	155.535 g
R5 (1 oz)	Ag 999	38.725 mm	31.107 g

- 1 The denominations are featured on the coins in an abbreviated format, (e.g. 'R1'), written out in full (e.g. 'One Rand') or a combination of a number and rand (e.g. '1 Rand').
- 2 The diameter is the average diameter of the coin as issued.
- 3 The standard mass is the minimum mass of the coin or least current mass for precious metal coins and the average mass for copper alloy coins.



**ENOCH GODONGWANA
MINISTER OF FINANCE**

The Big 5 Coin Series III

Please note that the obverse and reverse designs are the same for each coin within the series. The hallmark and denomination on the reverse will show the information relevant to each coin.



Obverse: Fifty Rand, 1kg, fine-silver



Reverse: Fifty Rand, 1kg, fine-silver



Obverse: Fifty Rand, 1kg, fine-silver



Reverse: Fifty Rand, 1kg, fine-silver



Obverse: Fifty Rand, 1kg, fine-silver



Reverse: Fifty Rand, 1kg, fine-silver

The Big 5 Coin Series III

Please note that the obverse and reverse designs are the same for each coin within the series. The hallmark and denomination on the reverse will show the information relevant to each coin.



Obverse: Fifty Rand, 1kg, fine-silver



Reverse: Fifty Rand, 1kg, fine-silver



Obverse: Fifty Rand, 1kg, fine-silver



Reverse: Fifty Rand, 1kg, fine-silver

SOUTH AFRICAN RESERVE BANK

NOTICE 2521 OF 2024

SOUTH AFRICAN RESERVE BANK ACT, 1989

**The dimension of, design for, and compilation
of the fine-gold 1/10 oz and fine-silver 1 oz crown versions
of the fourth decimal coin series of South Africa
to be issued from 2024 to 2029**

I, Enoch Godongwana, the Minister of Finance, in terms of section 19(1)(a) of the South African Reserve Bank Act, 1989 (Act No. 90 of 1989), hereby declare that-

- (a) the six fine-gold and six fine-silver coins based on the designs of the fourth decimal coin series as set out in section (a) of Schedule 2 to the said Act, which will be manufactured and issued by virtue of section 16(1) of the said Act, will be legal tender as from the date of publication in the *Government Gazette*;
- (b) the design of the said coin series will be the designs as shown and which are attached to this notice; and
- (c) the specifications of the said coin are as follows:

Denomination ¹	Metal content	Diameter ²	Mass ³
R5 (1/10 oz)	Au 999.9	16.50 mm	3.110 g
R2 (1/10 oz)	Au 999.9	16.50 mm	3.110 g
R1 (1/10 oz)	Au 999.9	16.50 mm	3.110 g
50c (1/10 oz)	Au 999.9	16.50 mm	3.110 g
20c (1/10 oz)	Au 999.9	16.50 mm	3.110 g
10c (1/10 oz)	Au 999.9	16.50 mm	3.110 g
R5 (1 oz)	Ag 999	38.725 mm	31.107 g
R2 (1 oz)	Ag 999	38.725 mm	31.107 g
R1 (1 oz)	Ag 999	38.725 mm	31.107 g
50c (1 oz)	Ag 999	38.725 mm	31.107 g
20c (1 oz)	Ag 999	38.725 mm	31.107 g
10c (1 oz)	Ag 999	38.725 mm	31.107 g

- 1 The denominations are featured on the coins in an abbreviated format, (e.g. 'R1'), written out in full (e.g. 'One Rand') or a combination of a number and rand (e.g. '1 Rand').
- 2 The diameter is the average diameter of the coin as issued.
- 3 The standard mass is the minimum mass of the coin or least current mass for precious metal coins and the average mass for copper alloy coins.



**ENOCH GODONGWANA
MINISTER OF FINANCE**

Fourth Decimal Coin Series
The fine-gold 1/10 oz coins and the fine-silver 1 oz crowns



Reverse: 5 Rand, 1/10 oz, 24ct gold



Reverse: 5 Rand, crown, fine-silver



Reverse: 2 Rand, 1/10 oz, 24ct gold



Reverse: 2 Rand, crown, fine-silver



Reverse: 1 Rand, 1/10 oz, 24ct gold



Reverse: 1 Rand, crown, fine-silver

The Fourth Decimal Coin Series
The fine-gold 1/10 oz coins and the fine-silver 1 oz crowns



Reverse: 50 Cent, 1/10 oz, 24ct gold



Reverse: 50 Cent, crown, fine-silver



Reverse: 20 Cent, 1/10 oz, 24ct gold



Reverse: 20 Cent, crown, fine-silver



Reverse: 10 Cent, 1/10 oz, 24ct gold



Reverse: 10 Cent, crown, fine-silver

SOUTH AFRICAN RESERVE BANK**NOTICE 2522 OF 2024****SOUTH AFRICAN RESERVE BANK ACT, 1989****The dimension of, design for, and compilation
of the 2 oz Piedfort Krugerrand to be issued in 2024**

I, Enoch Godongwana, the Minister of Finance, in terms of section 19(1)(a) of the South African Reserve Bank Act, 1989 (Act No. 90 of 1989), hereby declare that-

- (a) the 2 oz Piedfort Krugerrand as set out in section (a) of Schedule 2 to the said Act, which will be manufactured and issued by virtue of section 16(1) of the said Act, will be legal tender as from the date of publication in the *Government Gazette*;
- (b) the design of the said coin series will be the designs as shown and which are attached to this notice; and
- (c) the specifications of the said coin are as follows:

Denomination ¹	Metal content	Diameter ²	Mass ³
2 oz	Au 916.67 Cu 83.33	32.69 mm	67.86 g

- 1 The denominations are featured on the coins in an abbreviated format, (e.g. 'R1'), written out in full (e.g. 'One Rand') or a combination of a number and rand (e.g. '1 Rand'). Note that the gold Krugerrands do not feature a denomination.
- 2 The diameter is the average diameter of the coin as issued.
- 3 The standard mass is the minimum mass of the coin or least current mass for precious metal coins and the average mass for copper alloy coins.



ENOCH GODONGWANA
MINISTER OF FINANCE

The 2 oz Piedfort Krugerrand



Obverse: 2 oz, 22ct gold



Reverse: 2 oz, 22ct gold

Visual comparison of a 1 oz Krugerrand and a 2 oz Piedfort Krugerrand.
Both coins have the same diameter of 32.69 mm.



Thickness of the 32.69 mm diameter
1 oz Krugerrand



Thickness of the 32.69 mm diameter
2 oz Piedfort Krugerrand

SOUTH AFRICAN RESERVE BANK

NOTICE 2523 OF 2024

SUBSTITUTION OF SCHEDULE 2 TO SOUTH AFRICAN RESERVE BANK ACT, 1989

I, Enoch Godongwana, MP, the Minister of Finance, in terms of section 16(2) of the South African Reserve Bank Act, 1989 (Act No. 90 of 1989), hereby substitute Schedule 2 to that Act (as amended by Government Notice No. 911 of 6 May 1994, Government Notice No. 500 of 29 March 1997, Government Notice No. 1499 of 15 December 1999, Government Notice No. 855 of 30 July 2004, and General Notice No. 195 of 29 March 2019, corrected by General Notice No. 452 of 6 August 2021, substituted by Government Notice No. 3248 of 31 March 2023 and Government Notice No. 3357 of 2 May 2023) for the following Schedule:

SCHEDULE 2

(a) Precious Metal and Commemorative Coins

DENOMINATION ¹ & DESCRIPTION		DIAMETER ² (mm)	STANDARD MASS ³ (g)	STANDARD FINENESS ⁴	REMEDY ALLOWABLE ⁴	
Mass	Rand & Cents				STANDARD MASS ³ (g)	STANDARD FINENESS ⁴
22 ct. Gold Coins						
50 oz.	Krugerrand	100.00	1696.60	Au 916.67 Cu 83.33	+5.40	+0.4
5 oz.	Krugerrand	50.00	169.66		+0.270	
2 oz.	Krugerrand	40.00	67.86		+0.135	
2 oz.	Piedfort Krugerrand	32.69	67.86		+0.135	
1 oz.	Krugerrand	32.69	33.930		+0.070	
1/2 oz.	Krugerrand	27.00	16.965		+0.035	
1/4 oz.	Krugerrand	22.00	8.482		+0.020	
1/10 oz.	Krugerrand	16.50	3.393		+0.010	
1/20 oz.	Krugerrand	12.00	1.697		+0.003	
1/50 oz.	Krugerrand	8.00	0.679		+0.002	
24 ct. Gold Coins						
1 kg	R 50	90.00	1000.00	Au 999.9	+10.00	+0.1
5 oz.	R 50	50.00	155.535	Au 999.9	+1.30	+0.1
1 oz.	R 500 R 200 R 100 Natura R 50	32.69	31.107	Au 999.9	+0.07	+0.1

	R 25 Protea					
1/2 oz.	R 100 R 50 Natura	27.00	15.553	Au 999.9	+0.035	+0.1
1/4 oz.	R 50 R 20 Natura R 2	22.00	7.777	Au 999.9	+0.02	+0.1
1/10 oz.	R 20 R 10 Natura R 5 Protea R2 R 1 50c 20c 10c	16.50	3.110	Au 999.9	+0.01	+0.1
1/20 oz.	R 5 Natura	12.00	1.555	Au 999.9	+0.005	+0.1
Platinum Coins						
1 oz.	R 10 Krugerrand	32.69	31.107	Pt 999.9	+0.07	+0.1
1 oz.	R 20	32.69	31.107	Pt 999.5	+0.05	+0.1
Sterling-Silver Coins						
2 oz.	50 c	50.00	67.252	Ag 925 Cu 75	+0.50	+5
1 oz.	R 50 R 15 R 10 R 5 R 2 20 c	38.725	33.626	Ag 925 Cu 75	+0.2	+5
--	R5	38.725	33.000	Ag 925 Cu 75 Plating Au 999.9	+0.2	+5
1/2 oz.	10 c	32.69	16.813	Ag 925 Cu 75	+0.1	+5
--	R 1 Protea	32.69	15.000	Ag 925 Cu 75	+0.1	+5
1/4 oz.	5 c	27.00	8.406	Ag 925 Cu 75	+0.1	+5
--	2 ½ c Tickey	16.30	1.414	Ag 925 Cu 75	+0.1	+5
Fine-Silver Coins						
1 kg	R 5	100.00	1000.00	Ag 999	+12.00	+0.5
5 oz.	R 5	64.00	155.535	Ag 999	+1.50	+0.5
2 oz.	R 2 Krugerrand	50.00	62.214	Ag 999	+0.28	+0.5

1 oz.	R 25 R 5 R2 R 1 Krugerrand 50c 20c 10c	38.725	31.107	Ag 999	+0.07	+0.5
Copper Alloy Coins						
--	R 50	38.725	24.450	Al Cu Ni	± 0.73	--

- 1 The denominations are featured on the coins in an abbreviated format, (e.g. 'R1'), written out in full (e.g. 'One Rand') or a combination of a number and rand (e.g. '1 Rand').
- 2 The Diameter is the average diameter of the coin as issued.
- 3 The Standard Mass is the minimum mass of the coin or Least Current Mass for precious metal coins and the average mass for copper alloy coins.
- 4 The Standard Fineness is the precious metal fineness in parts per thousand.
- 5 The Remedy Allowable is the deviation allowable from the Standard Mass or Standard Fineness.

(b) Circulation coins*¹ issued since 1965

DENOMINATION ²	ISSUING YEARS	METAL COMPOSITION	DIAMETER ³ (mm)	STANDARD MASS ⁴ (g)	REMEDY ALLOWABLE ⁵ (g)
R 5	2004 -	Bi-metal alloy	26.00	9.5	± 0.285
	1994 -2003	Nickel-plated copper	26.00	7.0	± 0.210
R 2	2023 -	Nickel-plated steel	23.00	6.5	± 0.200
	1989 - 2022	Nickel-plated copper	23.00	5.5	± 0.165
R 1	2023 -	Nickel-plated steel	20.00	5.0	± 0.150
	1990 - 2022	Nickel-plated copper	20.00	4.0	± 0.120
	1977 - 1990	Nickel	31.00	12.0	± 0.360
50 c	2023 -	Bronze-plated steel	22.00	4.5	± 0.140
	1990 - 2022	Bronze-plated steel	22.00	5.0	± 0.150
	1965 - 1990	Nickel	27.84	9.5	± 0.258
20 c	2023 -	Bronze-plated steel	19.00	3.0	± 0.090
	1990 - 2022	Bronze-plated steel	19.00	3.5	± 0.105
	1965 - 1990	Nickel	24.21	6.0	± 0.180
10 c	2013 -	Copper-plated steel	16.00	2.0	± 0.060
	1990 - 2012	Bronze-plated steel	16.00	2.0	± 0.060
	1965 - 1989	Nickel	20.70	4.0	± 0.120
5 c	1990 - 2011	Copper-plated steel	21.00	4.5	± 0.135
	1965 - 1989	Nickel	17.35	2.5	± 0.075
2 c	1990 - 2001	Copper-plated steel	18.00	3.0	± 0.090

	1965 - 1990	Bronze	22.45	4.0	± 0.120
1 c	1990 - 2001	Copper-plated steel	15.00	1.5	± 0.045
	1965 - 1989	Bronze	19.05	3.0	± 0.090
1/2 c	1970 - 1983	Bronze	16.21	2.0	± 0.060

- 1 Circulation coins are also referred to as currency or alloy coins.
- 2 The denominations are featured on the coins in an abbreviated format, (e.g. 'R1'), written out in full (e.g. 'One Rand') or a combination of a number and rand (e.g. '1 Rand').
- 3 The Diameter is the average diameter of the coin as issued.
- 4 The Standard Mass is the average mass of the coin as issued.
- 5 The Remedy Allowable is the deviation allowable from the Standard Mass.



ENOCH GODONGWANA, MP
MINISTER OF FINANCE

Printed by and obtainable from the Government Printer, Bosman Street, Private Bag X85, Pretoria, 0001
Contact Centre Tel: 012-748 6200. eMail: info.egazette@gpw.gov.za
Publications: Tel: (012) 748 6053, 748 6061, 748 6065